

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75	(group near3 (invalidat\$4)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:28
L2	17	(coarse near1 vector) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:28
L3	29	(coarse near1 vector) same invalidat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:28
L4	295	compaq and (cache near1 coherency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:29
L5	52	(cluster\$3 near3 (invalidat\$4)) same (cache "L1" "L2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:29
L6	444	1 2 3 4 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:31
L7	89	6 and (cache "L1" "L2") same (owner\$5 assign\$5 presence) near5 (node group cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:31
L8	69	7 and ((daisy near3 chain) chain\$3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:31

EAST Search History

L9	39	8 and ((CPU PID (processor near2 ID)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:32
L10	0	9 and (amount number size) near5 (SMP NUMA ccNUMA processor CPU node PID) same ((reconfig\$5 dynamic\$4 select\$3 choos\$3) near5 directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:32
L11	111	(amount number size) near5 (SMP NUMA ccNUMA processor CPU node PID) same ((reconfig\$5 dynamic\$4 select\$3 choos\$3) near5 directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:33
L12	8	11 and (cache "L1" "L2") same (owner\$5 assign\$5 presence) near5 (node group cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:33
L13	47	9 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:34
L14	32	13 and ((coheren\$3 near3 cache) same directory same (lock\$3 exclusiv\$4 own\$3 owner\$5 (access\$5 near3 restrict\$3) semaphore mutex))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:34
L15	0	14 and (protocol adj engine) same (directory same vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:35
L16	0	14 and (SCI near3 (protocol directory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:36

EAST Search History

L17	0	14 and (protocol adj2 engine) same (directory same vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:37
L18	1	14 and (protocol) same (directory same vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:37
L19	4698	711/119,141,144,145,147,148.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:40
L20	19	19 and (protocol adj engine) same (directory same vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:41
L21	7	20 and ((coheren\$3 near3 cache) same directory same (lock\$3 exclusiv\$4 own\$3 owner\$5 (access\$5 near3 restrict\$3) semaphore mutex))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:41
L22	39	14 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:53
L23	0	22 and (predefin\$3 predetermin\$5 pre-defin\$3 pre-determin\$5) near5 (node processor cpu) same (bit with (ID identif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:53
L24	0	22 and (predefin\$3 predetermin\$5 pre-defin\$3 pre-determin\$5) with (node processor cpu) same (bit with (ID identif\$5) with (cach\$3 near5 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:54

EAST Search History

L25	0	22 and (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:55
L26	7	22 and (send\$3 sent issu\$3 broadcast\$3) with invalidat\$4 with (node cpu processor) same (bit byte) with identif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:56
L27	0	22 and (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:58
L28	7186	711/117,119,141,144,145,147,148,151,156,159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:10
L29	9322	707/10,201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:10
L30	9245	709/201,213,217.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:11
L31	24317	28 29 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:12
L32	31	31 and (group near3 (invalidat\$4)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:26

EAST Search History

L33	0	32 and (coarse near1 vector) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:27
L34	39	31 and (cluster\$3 near3 (invalidat\$4)) same (cache "L1" "L2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:28
L35	19	34 and (cache "L1" "L2") same (owner\$5 assign\$5 presence) near5 (node group cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:28
L36	19	35 and (cache "L1" "L2") same (owner\$5 assign\$5 presence) near5 (node group cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:29
L37	12	36 and ((daisy near3 chain) chain\$3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:29